

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addease COMMISSIONER FOR PATENTS PO Box 1430 Alexandra, Virginia 22313-1450 www.webjo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/556,121	03/09/2007	Torsten Harms	3926.221	4366
41288 7590 97/09/2008 PATENT CENTRAL LLC Stephan A. Pendorf			EXAMINER	
			KAMEN, NOAH P	
1401 Hollywood, FL			ART UNIT	PAPER NUMBER
			3747	
			MAIL DATE	DELIVERY MODE
			07/09/2008	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

# Office Action Summary

Application No.	Applicant(s)			
10/556,121	HARMS ET AL.			
Examiner	Art Unit			
KATRINA B. HARRIS	3747			

- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply

WHICH - Extens after S - If NO; - Failure Any re	DRTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, HEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.  Because of time may be available under the provisions of 37 CFR 1130(a). In no event, however, may a reply be timely filled because of time may be available under the provisions of 37 CFR 1130(a). In no event, however, may a reply be timely filled provided by the control of the communication of the control o
Status	
1)⊠ I	Responsive to communication(s) filed on 11 February 2008.
2a)□ -	This action is <b>FINAL</b> . 2b) ☐ This action is non-final.
3)□ :	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.
Dispositio	on of Claims
4)🛛 (	Claim(s) <u>15-33</u> is/are pending in the application.
4	a) Of the above claim(s) is/are withdrawn from consideration.
5) 🗌 (	Claim(s) is/are allowed.
6)⊠ (	Claim(s) <u>15-33</u> is/are rejected.
7) 🗌 (	Claim(s) is/are objected to.
8) 🗌 (	Claim(s) are subject to restriction and/or election requirement.
Application	on Papers
9)□ ⊤	The specification is objected to by the Examiner.
	The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
,	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
11)□ T	The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.
Priority u	nder 35 U.S.C. § 119
	Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
	All b) Some * c) None of:
	Certified copies of the priority documents have been received.      Certified copies of the priority documents have been received in Application No.
	Copies of the certified copies of the priority documents have been received in Application No  Copies of the certified copies of the priority documents have been received in this National Stage
· ·	application from the International Bureau (PCT Rule 17.2(a)).
* Se	ee the attached detailed Office action for a list of the certified copies not received.
	'
A 14 a a b	
Attachment(	(9)

1) Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) T Information Disclosure Statement(s) (PTO/SE/08) Paper No(s)/Mail Date \_\_\_\_\_

4) Interview Summary (PTO-413)
Paper No(s)/Mail Date. \_\_\_\_\_. 5) Notice of Informal Patent Application.

6) Other: \_\_

Art Unit: 3747

### DETAILED ACTION

#### Claim Rejections - 35 USC § 102

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 15- 33 are rejected under 35 U.S.C. 102(b) as being anticipated by (EP 0385160A1).

(EP 0385160A1), as in **claim 15**, a balancing shaft (32) for an internal combustion engine, produced by the method of claim 21, balancing shaft (9) consisting of a tubular hollow body and having a balancing weight (10) arranged on the hollow body, the balancing weight, being arranged on the outer circumference of the hollow body and being connected to the latter in an interference fit, wherein the hollow body (9) is plastically expanded only at a location of its connection to the balancing weight (10) by an internal pressure inside the hollow body, and the balancing weight (10) is expanded at this location due to a contact with the hollow body and then elastically with elastic spring-back. (see figure 3)

Regarding claim 16, the balancing shaft (9) as claimed in claim 15, wherein the balancing weight (10) is integrally formed on a hub which locally encloses and is secured to the hollow body (9).

Regarding **claim 17**, the balancing shaft (9 as claimed in claim 15, wherein the functional elements are arranged as individual components on the hollow body (9) and are connected to the hollow body (9) in an interference fit.

Art Unit: 3747

Regarding claim 18, the balancing shaft as claimed in claim 15, wherein the balancing weight (10) and/or the functional elements are additionally connected to the hollow body (9) in a positive-locking manner.

Regarding claim 19, the balancing shaft as claimed in claim 15, wherein the hollow body (9) is connected at one end in one piece with a connecting component for drive components, the connecting part closing the hollow body (9).

Regarding claim 20, the balancing shaft as claimed in claim 19, wherein said drive components are selected from chain wheels and centrifuges.

Regarding claim 21, a method of producing a balancing shaft, a balancing weight and also functional elements being fastened to a hollow tubular body, the balancing weight being positioned on and fastened to the outer circumference of the hollow tubular body with formation of an interference fit, comprising: introducing a balancing weight (10) and/or of the functional element onto hollow body (9), partially expanding the hollow body (9) by means of fluidic internal high pressure locally only at the location of the introduced weight and/or of the functional element to form the interference fit while expanding the balancing weight (10) and/or the functional elements so as to spring back elastically.

Regarding claim 22, the method as claimed in claim 21, wherein, by means of a hub on which the balancing weight (10) is integrally formed, said balancing weight (10) is pushed onto the hollow body (9) and is then fastened.

Art Unit: 3747

Regarding claim 23, the method as claimed in claim 21, wherein the functional elements, with a bore, are pushed as individual components onto the hollow body (9) and are connected to the latter, with an interference fit being formed.

Regarding claim 24, the method as claimed in claim 21, wherein the wall of the through-opening of the hub and/or the wall of the bore with which the balancing weight (10) and/or the functional elements are pushed onto the hollow body (9) are/is designed to be rotationally asymmetric, and in that, by means of fluidic internal high pressure, the hollow body (9) is connected to the balancing weight (10) and/or the functional elements in a positive-locking manner by at least partial contact with rotationally asymmetric surfaces of the wall of the through- opening of the hub and/or of the wall of the bore

Regarding claim 25, the method as claimed in claim 21, wherein at least one of the open ends of the hollow body (9) is friction welded to a connecting component closing the end and intended for drive components.

Regarding claim 26, the method as claimed in claim 25, wherein said drive components are selected from chain wheels and centrifuges.

Regarding claim 27, the balancing shaft as claimed in claim 18, wherein the positive-locking is achieved by an asymmetric structure on an inner wall of a hub of the balancing weight and/or a bore of the functional elements.

Regarding claim 28, the balancing share as claimed in claim 18, wherein the asymmetric structure includes an oval and/or hollows or longitudinal grooves formed on the wall.

Art Unit: 3747

Regarding claim 29, the method as claimed in claim 21, wherein the internal high pressure is applied by broaching.

Regarding claim 30, the method as claimed in claim 21, wherein the internal high pressure is applied by fluidic internal high pressure.

Regarding claim 31, the method as claimed in claim 21, wherein the partial expansion of the hollow body (9) by the internal high pressure locally only at the location of the balancing weight is achieved by an internal high pressure forming die that has a negative contour of the balancing shaft outside the location of the balancing weight.

Regarding claim 32, the method as claimed in claim 21, wherein the partial expansion of the hollow body (9) by the internal high pressure locally only at the location of the balancing weight is achieved by movable plungers to be inserted into the hollow body.

Regarding claim 33, the method as claimed in claim 21, wherein the partial expansion of the hollow body (9) by the internal high pressure locally only at the location of the balancing weight is achieved by an expansion lance to be inserted into the hollow body.

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. U.S. Patent No. 6,237,442 issued to Killion is a similar system. U.S. Patent No. 6,682,437 issued to Killion et al. is a similar system. U.S. Patent No. 5,857,388 issued to Killion et al. is a similar system. U.S. Patent No. 5,791,309 issued

Art Unit: 3747

to Yamazaki e t al. is a similar system. U.S. Patent No. 5,483,932 issued to Friedman et al. is a similar system. U.S. Patent No. 6,626,063 issued to Killion is a similar system.

## Response to Arguments

Applicant's arguments with respect to claim15-26 have been considered but are moot in view of the new ground(s) of rejection.

## Communication

Any inquiry concerning this communication or earlier communications from the examiner should be directed to KATRINA B. HARRIS whose telephone number is (571)272-4842. The examiner can normally be reached on 7:00 AM - 3:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Cronin can be reached on 571-272-4536. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/556,121 Page 7

Art Unit: 3747

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Katrina B. Harris Examiner Art Unit 3747

KBH

/Stephen K. Cronin/ Supervisory Patent Examiner, Art Unit 3747